



Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2026.03.31 |
| Aircraft Firmware: | v17.00.01.00 |
| Remote Controller Firmware: | v01.64.08.06 |
| DJI Pilot 2 App Android: | v17.0.0.40 |
| Manifold 3: | v17.00.01.01 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v17.00.00.06 |
| BS100 Intelligent Battery Station: | v01.00.00.12 |
| TB100 Intelligent Flight Battery: | v16.00.00.63 |
| TB100C Tethered Battery: | v17.00.00.39 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v06.00.01.04 |
| Zenmuse L3: | v01.00.01.06 |
| Zenmuse H30/H30T: | v10.05.02.01 |
| DJI X-Port: | v01.04.01.15 |
| DJI Skyport V2: | v01.04.11.14 |
| DJI Assistant 2 (Enterprise Series): | v2.1.20 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.12 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.40 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.12.

Matrice 400 Release Notes

What's New?

- Added support to perform close-range tasks by default when switched to T-mode. In this case, the minimum flight speed is 0.5 m/s, and minimum horizontal obstacle avoidance distance is 1.5 m.
- Added support to enable Cleaning mode. When enabled, Cleaning mode is activated when switching to T-mode. In this case, only the millimeter-wave radar is effective for obstacle avoidance, and the minimum horizontal obstacle avoidance distance is 1.5 m. Ensure the visual and LiDAR sensors are clean to maintain stable positioning. Carefully read the flight safety advice in DJI Pilot 2 before operation.
- Added RTH battery reserve setting in Battery Settings to ensure flight safety. The actual reserved power will be higher than the set value when Delivery mode is enabled.
- Delivery mode can be enabled via the PSDK interface.
- Added support to record videos that meet MISB standards when used with H30 series cameras.
- Added support for 4G enhanced transmission data usage tips.
- Fixed the issue where the BS100 battery station repeatedly restarts under certain conditions.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2026.01.27 |
| Aircraft Firmware: | v16.01.08.09 |
| Remote Controller Firmware: | v01.64.07.11 |
| DJI Pilot 2 App Android: | v16.01.08.14 |
| Manifold 3: | v16.01.01.01 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v16.01.0002 |
| BS100 Intelligent Battery Station: | v01.00.00.10 |
| TB100 Intelligent Flight Battery: | v16.00.00.62 |
| TB100C Tethered Battery: | v17.00.00.38 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v06.00.01.04 |
| Zenmuse L3: | v01.00.01.06 |
| Zenmuse H30/H30T: | v10.05.02.01 |
| DJI X-Port: | v01.04.01.15 |
| DJI Skyport V2: | v01.04.11.14 |
| DJI Assistant 2 (Enterprise Series): | v2.1.20 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.10 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.40 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Added support for dirt detection for the LiDAR, allowing for timely cleaning and maintenance to ensure the LiDAR performance.
- Optimized the positioning capability in all scenarios, improving the positioning accuracy and stability in complex environment.
- Fixed the battery known issue to enhance flight safety.

Matrice 400 Release Notes

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.12.08 |
| Aircraft Firmware: | v16.00.08.13 |
| Remote Controller Firmware: | v01.64.07.05 |
| DJI Pilot 2 App Android: | v16.00.08.05 |
| Manifold 3: | v16.00.01.01 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v16.00.0002 |
| BS100 Intelligent Battery Station: | v01.00.00.08 |
| TB100 Intelligent Flight Battery: | v16.00.00.60 |
| TB100C Tethered Battery: | v17.00.00.36 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v06.00.01.04 |
| Zenmuse L3: | v01.00.01.06 |
| Zenmuse H30/H30T: | v10.05.02.01 |
| DJI X-Port: | v01.04.01.14 |
| DJI Skyport V2: | v01.04.11.13 |
| DJI Assistant 2 (Enterprise Series): | v2.1.20 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.08 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.40 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Optimized flight safety strategies. Added relevant features to meet local regulatory requirements.
- Added prompt when the aircraft is landed but the propellers are still spinning. To stop the propellers, hold throttle stick down for at least five seconds and avoid moving the stick in other directions.

Matrice 400 Release Notes

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.11.04 |
| Aircraft Firmware: | v16.00.00.05 |
| Remote Controller Firmware: | v01.64.07.02 |
| DJI Pilot 2 App Android: | v16.0.0.49 |
| Manifold 3: | v16.00.01.01 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v16.00.0002 |
| BS100 Intelligent Battery Station: | v01.00.00.07 |
| TB100 Intelligent Flight Battery: | v16.00.00.59 |
| TB100C Tethered Battery: | v17.00.00.35 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v06.00.01.04 |
| Zenmuse L3: | v01.00.01.06 |
| Zenmuse H30/H30T: | v10.05.02.01 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.20 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.07 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.40 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

Matrice 400 Release Notes

What's New?

- Added support for Zenmuse L3. Requires to use with the dedicated L3 mounting bracket.
- Added support for ticket submission for fault feedback, with real-time tracking of processing progress, enhancing the after-sales service feedback experience.
- Added new side-by-side (SBS) view combinations of Visible Light + FPV and Point Cloud + FPV, making flight operations safer.
- Added support for the navigation display module to display obstacle sensing capability levels and detailed working status of obstacle sensing sensors.
- Added support for the aircraft to quickly align with gimbal's orientation.
- Added support for Patrol Route, enabling automatic smart detection and alerts for smarter, more efficient operations.
- Added support for capturing photos and recording videos with the H30 Series camera during Power Line Follow with L2.
- Added support for importing third-party algorithm models on both aircraft and DJI FlightHub 2.
- Boat Launch mode supports using Zenmuse H30 series for landing marker detection.
- The battery station supports adjusting the charging power in Turbo mode. Connect the battery station to the remote controller and adjust the charging power on the battery station management page.
- Relay mode supports Matrice 4D series relaying Matrice 400, D-RTK 3 relaying Matrice 400.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.09.26 |
| Aircraft Firmware: | v14.03.07.07 |
| Remote Controller Firmware: | v01.64.06.05 |
| DJI Pilot 2 App Android: | v14.3.7.10 |
| Manifold 3: | v14.03.02.03 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v14.01.00.03 |
| BS100 Intelligent Battery Station: | v01.00.00.04 |
| TB100 Intelligent Flight Battery: | v16.00.00.55 |
| TB100C Tethered Battery: | v17.00.00.31 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v05.00.10.01 |
| Zenmuse H30/H30T: | v10.04.04.03 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.20 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.04 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.39 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Added prompt when downward infrared sensor is disabled. After landing, users need to hold throttle stick down for at least 5s to stop the motor.
- Optimized flight safety strategies.
- Fixed some known issues.

Matrice 400 Release Notes

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.08.28 |
| Aircraft Firmware: | v14.01.09.06 |
| Remote Controller Firmware: | v01.64.06.03 |
| DJI Pilot 2 App Android: | v14.3.0.35 |
| Manifold 3: | v14.03.02.03 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v14.01.00.03 |
| BS100 Intelligent Battery Station: | v01.00.00.04 |
| TB100 Intelligent Flight Battery: | v16.00.00.55 |
| TB100C Tethered Battery: | v17.00.00.31 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v05.00.10.01 |
| Zenmuse H30/H30T: | v10.04.04.03 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.20 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.04 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.39 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Fixed some known issues.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

Matrice 400 Release Notes

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.08.18 |
| Aircraft Firmware: | v14.01.09.06 |
| Remote Controller Firmware: | v01.64.05.23 |
| DJI Pilot 2 App Android: | v14.1.9.8 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v14.01.00.03 |
| BS100 Intelligent Battery Station: | v01.00.00.04 |
| TB100 Intelligent Flight Battery: | v16.00.00.55 |
| TB100C Tethered Battery: | v17.00.00.31 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v05.00.10.01 |
| Zenmuse H30/H30T: | v10.04.04.03 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.17 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.04 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.39 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Added auto takeoff for Ship-based Takeoff/Landing. Read the instructions in the app and download the Landing Marker and Ship-based Takeoff/Landing instructions from the official website before first use.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

Matrice 400 Release Notes

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.07.23 |
| Aircraft Firmware: | v14.01.00.11 |
| Remote Controller Firmware: | v01.64.05.17 |
| DJI Pilot 2 App Android: | v14.1.0.72 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v14.01.00.03 |
| BS100 Intelligent Battery Station: | v01.00.00.04 |
| TB100 Intelligent Flight Battery: | v16.00.00.55 |
| TB100C Tethered Battery: | v17.00.00.31 |
| Zenmuse V1: | v02.00.00.08 |
| Zenmuse S1: | v02.00.00.08 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v05.00.10.01 |
| Zenmuse H30/H30T: | v10.04.04.03 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.17 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.04 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.39 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Fixed some known issues.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

Matrice 400 Release Notes

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:



Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.07.08 |
| Aircraft Firmware: | v14.01.00.11 |
| Remote Controller Firmware: | v01.64.05.17 |
| DJI Pilot 2 App Android: | v14.1.0.58 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v14.01.00.03 |
| BS100 Intelligent Battery Station: | v01.00.00.04 |
| TB100 Intelligent Flight Battery: | v16.00.00.55 |
| TB100C Tethered Battery: | v17.00.00.31 |
| Zenmuse V1: | v02.00.00.07 |
| Zenmuse S1: | v02.00.00.07 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v05.00.10.01 |
| Zenmuse H30/H30T: | v10.04.04.03 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.17 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.04 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.39 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

What's New?

- Fixed some known issues.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

Matrice 400 Release Notes

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:





Matrice 400 Release Notes

| | |
|--------------------------------------|---|
| Released Date: | 2025.06.10 |
| Aircraft Firmware: | v14.01.00.11 |
| Remote Controller Firmware: | v01.64.05.09 |
| DJI Pilot 2 App Android: | v14.1.0.58 |
| D-RTK 2 Mobile Station for Matrice: | v03.01.0000 (incl. Matrice version) |
| D-RTK 3 Mobile Station for Matrice: | v14.01.00.03 |
| BS100 Intelligent Battery Station: | v01.00.00.04 |
| TB100 Intelligent Flight Battery: | v16.00.00.55 |
| TB100C Tethered Battery: | v17.00.00.31 |
| Zenmuse V1: | v02.00.00.06 |
| Zenmuse S1: | v02.00.00.06 |
| Zenmuse P1: | v10.01.02.01 |
| Zenmuse L2: | v05.00.10.01 |
| Zenmuse H30/H30T: | v10.04.04.03 |
| DJI X-Port: | v01.04.01.13 |
| DJI Skyport V2: | v01.04.11.12 |
| DJI Assistant 2 (Enterprise Series): | v2.1.17 |
| Firmware Upgrade Methods: | Aircraft / Remote Controller: DJI Assistant 2 / App D-RTK Mobile Station: DJI Assistant 2 The built-in DJI Pilot 2 app: will be updated with the Remote Controller firmware Intelligent Battery Station: App (Connect the Battery Station to the remote controller and update it on the HMS page in the DJI Pilot 2 app) |

* The BS100 Intelligent Battery Station firmware v01.00.00.04 update includes the battery update. After being updated, the battery station version will be shown as v07.00.00.39 in DJI Pilot 2, the battery station adapter version will be shown as v00.00.00.11.

Notes:

- When using the Zenmuse L2/P1/H30 series with Matrice 400, make sure to use an SD card to update the payload to the latest firmware first.

Matrice 400 Release Notes

To ensure safe use and efficient operation of Matrice 400, it is recommended to visit the links below for a comprehensive understanding of Matrice 400 safety and product information:

- Visit <https://enterprise.dji.com/matrice-400/downloads> to download manuals such as the Quick Start Guide, Safety Guidelines and User Manual.
- Visit <https://enterprise.dji.com/matrice-400/video> to watch the tutorial videos.
- Visit <https://www.dji.com/flighthub-2> for more information on DJI FlightHub 2.
- Scan the QR code to contact DJI Support:

