


RONIN-SC


RSS Splitter

Product Information

产品信息

v1.0 2019.07





1.

Connect to Ronin-SC
Camera Control Port
连接 Ronin-SC 相机控制接口

2.

Connect to Camera
连接相机接口

3.

Connect to Focus Motor Port
连接跟焦器电机

EN

Introduction

The RONIN™-SC RSS Splitter is used with the Ronin-SC Multi-Camera Control Cable to connect the Ronin-SC Focus Motor, Ronin-SC, and camera, enabling focus motor control.

Specification

Length: 48 cm

Please refer to <http://www.dji.com/service> for after-sales service for your product where applicable.

DJI OSMO shall mean SZ DJI OSMO TECHNOLOGY CO., LTD. and/or its affiliated companies where applicable.

简介

RONIN™-SC RSS 一分二线搭配多功能相机控制线，可连接 Ronin-SC 跟焦器电机、Ronin-SC 和相机，实现跟焦器电机控制。

规格

长度：48 cm

浏览 <http://www.dji.com/service> 以获取产品的售后信息。

“DJI OSMO”表示深圳市大疆灵眸科技有限公司及其关联公司。

部件名称	有害物质					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr ⁶⁺)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
线路板	×	○	○	○	○	○
外壳	×	○	○	○	○	○
金属部件 (铜合金)	×	○	○	○	○	○
内部线材	×	○	○	○	○	○
其他配件	×	○	○	○	○	○

本表格依据 SJ/T 11364 的规定编制。

○：表示该有害物质在该部件所有均质材料中的含量均在 GB/T 26572 规定的限量要求以下。

×：表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 规定的限量要求。

(产品符合欧盟 ROHS 指令环保要求)





For online support,
please scan this code with
Facebook Messenger



微信扫一扫
获取技术支持