## **BTU Product Release Notes**

Date:	2014/3/26
BTU firmware version:	1.0.1.3
NM Assistant App version:	1.3.9
BTU Manual version:	1.04

### What's new?

### **Firmware**

• Supported of 2.4G Bluetooth Datalink and use iPad Ground Station on Phantom 2.

#### Notes:

Two methods to upgrade firmware of BTU.

**Method 1**: Connect the BTU module to the Naza-M flight control system, and upgrade the firmware in the upgrade page of Naza-M Assistant Software.

**Method 2**: Connect the BTU module to the ground end of 2.4G Bluetooth Datalink and upgrade the firmware in the upgrade page of 2.4G Bluetooth Datalink Assistant Software.

<sup>\*</sup> When used with BTU, please upgrade the firmware of NAZA-M flight control system to the latest version, adhere to the following table.

	NAZA-M V2	NAZA-M
Assistant software	V2.16(or above)	V2.16(or above)
Firmware	V3.16(or above)	V3.16(or above)

## **BTU Product Release Notes**

Date:	2013/09/11
BTU firmware version:	1.0.1.2
NM Assistant App version:	1.3.9
BTU Manual version:	1.04

### What's new?

### **Firmware**

- Support the iPAD Ground Station when using with the 2.4G Bluetooth Datalink
- Support the NM Assistant when the BTU module is connecting to the Ground end of the 2.4G Bluetooth Datalink (No need to connect another BTU module to the Flight control system)

### Notes:

• To use the 2.4G Bluetooth Datalink with the BTU module, users should upgrade the firmware of BTU to v1.0.1.2 using the Assistant software v2.18.

<sup>\*</sup> When used with BTU, please upgrade the firmware of NAZA-M autopilot system to the latest version, adhere to the following table.

	NAZA-M V2	NAZA-M
Assistant software	V2.16(or above)	V2.16(or above)
Firmware	V3.16(or above)	V3.16(or above)

# **BTU Product Release Notes**

Date:	2013/08/05
BTU firmware version:	1.0.0.8
App Assistant version:	1.3.5
BTU Manual version:	1.02

### **Functions**

- BTU (Bluetooth module) provides the communication link between Autopilot system and Mobile device. Supports parameter configurations using NM Assistant app.
- Supports real-time gain value adjustments during flight.
- Only for NAZA-M controllers.

<sup>\*</sup> When used with BTU, please upgrade the firmware of NAZA-M autopilot system to the latest version, adhere to the following table.

	NAZA-M V2	NAZA-M
Assistant software	V2.16(or above)	V2.16(or above)
Firmware	V3.16(or above)	V3.16(or above)