


# OSMO

## Quick Release 360 Mic Mount

Quick Start Guide V1.0



## **Disclaimer and Warning**

Congratulations on purchasing your new DJI product. The information in this document affects your safety and your legal rights and responsibilities. Read this entire document carefully to ensure proper configuration before use. Failure to read and follow instructions and warnings in this document may result in serious injury to yourself or others, damage to your DJI product, or damage to other objects in the vicinity. This document and all other collateral documents are subject to change at the sole discretion of DJI. For up-to-date product information, visit <http://www.dji.com> and click on the product page for this product.

By using this product, you hereby signify that you have read this disclaimer and warning

carefully and that you understand and agree to abide by the terms and conditions herein. You agree that you are solely responsible for your own conduct while using this product, and for any consequences thereof. You agree to use this product only for purposes that are proper and in accordance with all applicable laws, rules, and regulations, and all terms, precautions, practices, policies and guidelines DJI has made and may make available.

DJI accepts no liability for damage, injury or any legal responsibility incurred directly or indirectly from the use of this product. The user shall observe safe and lawful practices including, but not limited to, those set forth in this document.


## Introduction

The Osmo Quick Release 360 Mic Mount is used to attach a microphone or other filming equipment to the Osmo. It can be fastened to the mobile device holder and comes with two cold shoe mounts, one with a 360 degree swivel.

## Specifications


Dimensions: 24 mm × 21 mm × 59 mm

Weight: 22 g




## Installation


1. Unfold the arms on the mobile device holder. Then, latch the Quick Release 360 Mic Mount around the mobile device holder as shown.



2. Mount your equipment on one of the cold shoe mounts. The bottom cold shoe mount rotates 360 degrees.

### Suggested Combinations





For the best experience, only mount equipment that weighs less than 200 g.

---

The content in this document is subject to change.

Download the latest version from  
[www.dji.com/product/osmo](http://www.dji.com/product/osmo)

If you have any questions about this document, please contact  
DJI by sending a message to [DocSupport@dji.com](mailto:DocSupport@dji.com).

© 2016 DJI. All Rights Reserved.