Date:	2015/6/12	
H3-3D Firmware Version:	1.14	
H3-3D User Manual Version:	1.04	

Major Update

Upgraded the firmware to v1.14 to support the latest NAZA-M firmware v4.04.

- 1. Added adjustment settings to limit the view angle of the tilt axis.
- 2. Added FPV mode for H3-3D when used with the NAZA-M. In FPV mode, the gimbal has the same roll angle as the aircraft.
- 3. Added tilt axis gain setting to adjust the tilt motion speed.

Date:	2015/1/4	
H3-3D Firmware Version:	1.12	
H3-3D User Manual Version:	1.04	
H3-3D User Manual Version:	1.04	

Improvement

Upgraded the firmware to V1.12 to support the latest A2 firmware V2.5.

Date:	2014/10/28
H3-3D Firmware Version:	1.10
H3-3D User Manual Version:	1.02

Improvement

Upgraded the firmware to V1.10 to support the tilt control dial on new DJI remote controller models NDJ6 and NRC900.

Date:	2014/04/17
H3-3D Firmware Version:	1.0.0.6
H3-3D User Manual Version:	1.00

Improvement

• Optimized yaw tracking movement of the H3-3D gimbal. Gimbal yaw movement synchronizes with Phantom 2, which reduces the chance of capturing the landing skids in the picture or video.

Date:	2014/03/24
H3-3D Firmware Version:	1.0.0.2
H3-3D User Manual Version:	1.00

Functions

- 3-axis gimbal
- High precision brushless servo
- Aluminum alloy body
- Built-in independent IMU module
- Lightweight
- PHANTOM 2 supported
- GoPro3 and GoPro 3+ silver and black support
- Zenmuse technology