

Zenmuse XT Release Notes

2016.07.26

1. Firmware Version: v1.20.0.00
2. DJI GO App iOS Version: v2.8.5
3. DJI GO App Android Version: v2.8.3

Major Updates

1. Temperature resolution of TIFF images will now change automatically according to the gain mode.
2. Re-enabled TIFF format image capture on for the Zenmuse XT-Performance.
3. Improved GPS metadata accuracy.

Notes

1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 before starting the firmware upgrade.
2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

Zenmuse XT Release Notes

2016.06.02

1. Firmware Version: v1.17.1.80
2. DJI GO App iOS Version: v2.8.3
3. DJI GO App Android Version: v2.8.1

Major Updates

1. Radiometric JPEG format photos can be viewed by FLIR Tools.
2. Optimized the video playback function.

Notes

1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 before starting firmware upgrade.
2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

Zenmuse XT Release Notes

2016.05.16

1. Firmware Version: v1.16.1.70
2. DJI GO App iOS Version: v2.8.2
3. DJI GO App Android Version: v2.8.1

Major Updates

1. Replaced the TIFF photo format with the Radiometric JPEG format for improved thermal imaging analysis.
2. Improved video recording so that accidentally suspended video recordings can now be played back normally, even if the camera is powered off while recording.

Notes

1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 before starting firmware upgrade.
2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

Zenmuse XT Release Notes

2016.04.25

1. Firmware Version: v1.15.1.60
2. DJI GO App iOS Version: v2.8.0
3. DJI GO App Android Version: v2.8.0

Major Updates

1. Added options for FFC calibration. Now you can choose manual or auto FFC calibration.
2. Fixed the issue of incomplete video files resulting from turning off the Intelligent Flight Battery while recording video.
3. Improved the accuracy of GPS data tagged to recorded images.

Notes

1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 for firmware upgrading.
2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to upgrade the aircraft or the Intelligent Flight Battery.
3. Ensure there is no other firmware package on the Micro SD card and that the battery level is above 50%.
4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

Zenmuse XT Release Notes

2016.03.28

1. Firmware Version: v1.14.1.50
2. DJI GO App iOS Version: v2.7.1
3. DJI GO App Android Version: v2.7.1

Major Updates

1. Improved stability when taking photos in TIFF format.
2. Fixed the issue of the DJI GO app taking a long time to show previews after changing video format.
3. Increased speed when viewing photos in playback mode.

Notes

1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 to upgrade to this firmware version.
2. The firmware is used to update the Zenmuse XT gimbal and camera. It cannot be used to update the aircraft or Intelligent Flight Battery.
3. Ensure there is no other firmware package on the Micro SD card and that the battery level is above 50%.
4. It will take approximately 5 minutes to update the firmware. The aircraft will beep when the upgrade is complete.